

RISK ASSESSMENT FORM

December 2016

Form RA2

Risk Assessment Number; 2016001077		Date Of Assessment; 23/12/2016			
Task / Work Activity / Work Area Assessed; BOARDWALK at Broad Haven Slash Pond SA62 3JR: carpark entrance to picnic area		People Involved In Making This Assessment; MARK BURCH.			
Supplementary Checklist Used In Respect Of; <i>If there is a significant risk in any of these areas [or any other] - a separate Risk Assessment should be completed</i>					
New And Expectant Mothers <input checked="" type="checkbox"/> Fire safety <input checked="" type="checkbox"/> Young Persons <input checked="" type="checkbox"/> Substances Hazardous To Health <input checked="" type="checkbox"/> Display Screens <input checked="" type="checkbox"/> Manual Handling <input checked="" type="checkbox"/>					
ASK YOURSELF: Persons Affected By The Activity Hazards that may be present	2. What Hazards Have Been Identified?	3. What Control Measures Already In Place	4. Further Control Measures Identified As Necessary – what else could be done?	5. Action on measures listed in Col. 4 Allocated to (Name) For completion by (Date)	6. Work Completed Date And Signature
<div><div><div>• Employees</div><div>• Contractors</div><div>• Public • Children</div><div>• Other vulnerable People/wheelchairs</div></div><div>Could there be: Moving or flying objects Falling materials Moving objects Protruding objects Sharp or jagged edges Can things be caught in Pinch points What are the risks of a fall Fire Spills Slippery surfaces Is there contact with: Chemicals Electricity Heat or Cold Gases or Fumes Oxygen deficiency</div></div>	Trips falls slips A fall from/off the boardwalk Slip on wet /mossy decking boards Trip hazards Litter/debris Water pools under boardwalk	Boardwalk is at low height, maximum distance to ground 18” Barriers at 12” and up to 36” Kick boards Trees Cut back Deck boards kept free of moss Boards are screwed in place Boards are in solid condition Bins provided in carpark/litterfree area Caution signs in place	New 'caution/ contact if danger to report' signs		
	Falling Materials protruding Objects				
	Pinch points	Trees cut back/hanging branches/weeds trimmed Barriers./deckboards smooth- no sharp edges/splinters. Deckboards are immobile			
	Dry wood – fire risk	Water surrounding boardwalk No ashtrays/no ignition sources			

