

RISK ASSESSMENT FORM

Form RA3

Risk Assessment Number: 2020SEPTEMBERBOARDWALK (eg. 2019MAYBOARDWALK)		Date Of Assessment: 7th Sept 2020			
Task / Work Activity / Work Area Assessed: BOARDWALK at Broad Haven Slash Pond SA62 3JR: 'Royal' entrance to picnic area		People Involved In Making This Assessment: Ben Dare, Andrew Cowley			
Date of previous risk assessment (RA): 13th Aug 2020		Previous RA actions checked? <input checked="" type="checkbox"/> Any incomplete items added to this RA? <input type="checkbox"/>			
1. ASK YOURSELF: Persons Affected By The Activity	2. What Hazards Have Been Identified?	3. What Control Measures Already In Place	4. Further Control Measures Identified As Necessary - what else could be done?	5. Action on measures listed in Col. 4 Allocated to (Name) For completion by (Date)	6. Work Completed Date And Signature
<ul style="list-style-type: none"> * Employees * Contractors * Public * Children * Other vulnerable People/wheelchairs <p>Could there be:</p> <ul style="list-style-type: none"> Moving or flying objects Falling materials Moving objects Protruding objects Sharp or jagged edges Can things be caught in Pinch points <p>What are the risks of a fall</p> <ul style="list-style-type: none"> Fire Spills Slippery surfaces <p>is there contact with:</p> <ul style="list-style-type: none"> Chemicals Electricity Heat or Cold Gases or Fumes Oxygen deficiency 	<p>Trips falls slips</p> <ul style="list-style-type: none"> A fall from/off the boardwalk Slip on wet /mossy decking boards Trip hazards Litter/debris Water pools under boardwalk <p>Falling Materials protruding Objects</p> <ul style="list-style-type: none"> Pinch points Dry wood – fire risk 	<p>Boardwalk is at low height , maximum distance to ground 18"</p> <p>Barriers at 12" and up to 36"</p> <p>Kick boards</p> <p>Trees Cut back</p> <p>Deck boards kept free of moss</p> <p>Boards are screwed in place</p> <p>Boards are in solid condition</p> <p>Bins provided in carpark/litterfree area</p> <p>Caution signs in place</p> <p>Trees cut back/hanging branches/weeds trimmed</p> <p>Barriers./deckboards smooth-no sharp edges/splinters.</p> <p>Deckboards are immobile</p> <p>Water surrounding boardwalk</p> <p>No ashtrays/no ignition sources</p>	<p>New 'caution/contact if danger to report' signs</p>		
				PTO	

Persons Affected By The Activity	ASK YOURSELF . What Hazards Have Been Identified? TODAY	3. Control Measures Already In Place if different to above	4. Further Control Measures Identified As Necessary – what needs to be done?	5. Action on measures listed in Col. 4 Allocated to (Name)	6. Work Completed Date And Signature
<ul style="list-style-type: none"> * Employees * Contractors * Public * New & Expectant Mothers * Children * Young Persons * Other vulnerable people 	<p>Kick boards loose. First corner from dipping deck Second corner from dipping deck Straight leading to Billy's bench (x2) Curve around picnic area (x4)</p>		Refix		Next RA
<p>Delete inappropriate entries. Add any affected people not listed.</p>	<p>Tree down within chesed-off area General over-growing throughout</p>		Cut back Cut back	Ben	16/08/2020 Ben Dave
<p>7. People allocated actions in col. 4 and target dates approved by Manager / Supervisor; Name;</p> <p>Signature;</p>					
<p>8. Details Of Further Control Measures Required (Column 4) transferred to the Control Measures Action Record: YES / NO On Date:</p>					

Once review is completed, this whole document needs to be scanned EMAILED to boardwalkgang@gmail.com for upload to the website

Risk Assessment Reviewed MONTHLY

Date of Review	Full name & contact tel. number	Other persons present : Full name & contact tel. number	DETAILS OF REMEDIAL WORK REQUIRED	Who is to ACTION this work required ?	What date was this action completed & by whom?	Signed / Submitted to STB.co.uk

